

TOP SECRET

Declassified in Part - Sanitized Copy Approved for Release 2014/02/26 :

CIA-RDP78B05702A000200030044-7 - Automatically downgraded from controlled document.

CONTROL AND COVER SHEET FOR TOP SECRET DOCUMENT

DOCUMENT DESCRIPTION		Mre: Support for Photographic iLaboratory	REGISTRY	
SOURCE	ODir/NPIC		CIA CONTROL NO.	TS 159173-62
DOC. NO.			DATE DOCUMENT RECEIVED	
DOC. DATE	13 Nov 62		LOGGED BY	50X1
COPY NO.	4 of 4			
NUMBER OF PAGES	1			
NUMBER OF ATTACHMENTS	1 w/cy 1			

ATTENTION: This form will be placed on top of and attached to each Top Secret document received by the Central Intelligence Agency or classified Top Secret within the CIA and will remain attached to the document until such time as it is downgraded, destroyed, or transmitted outside of CIA. Access to Top Secret matter is limited to Top Secret Control personnel and those individuals whose official duties relate to the matter. Top Secret Control Officers who receive and/or release the attached Top Secret material will sign this form and indicate period of custody in the left-hand columns provided. Each individual who sees the Top Secret document will sign and indicate the date of handling in the right-hand columns.

REFERRED TO	RECEIVED			RELEASED		SEEN BY		
OFFICE	SIGNATURE	DATE	TIME	DATE	TIME	SIGNATURE	OFFICE/DIV.	DATE
D/NPIC								

NOTICE OF DETACHMENT: When this form is detached from Top Secret material it shall be completed in the appropriate spaces below and transmitted to Central Top Secret Control for record.

DOWNGRADED		DESTROYED		DISPATCHED (OUTSIDE CIA)	
TO		BY (Signature)		TO	
BY (Signature)		WITNESSED BY (Signature)		BY (Signature)	
OFFICE	DATE	OFFICE	DATE	OFFICE	DATE

Declassified in Part - Sanitized Copy Approved for Release 2014/02/26 :

CIA-RDP78B05702A000200030044-7

(40)

TOP SECRET

TS 159173-62
13 November 1962

Copy 4

MEMORANDUM FOR: Deputy Director (Research)
THROUGH: Deputy Director (Intelligence)
SUBJECT: Support for [] Photographic Laboratory

50X1

1. At my request the Chief of the Technical Plans and Development Staff, [] have set down the most essential items of equipment needed for their Photographic Laboratory. The attached report and photographs are self explanatory.

50X1

50X1

2. The question as to what we or the U.S. Government should or might do [] is outside my jurisdiction. However, the continuing reconnaissance interests we have in this area plus the recent photographic processing problems stemming from the Cuban crisis might now serve to stimulate our imaginative thinking as to what we can or should now try to do to hedge against future crises.

50X1

3. The foregoing is offered only as a suggestion and no response is expected. The costs involved are moderate, but the returns could be great. I believe that Mr. Ed Green, of Eastman Kodak Co., has additional experience and views on the subject which might be useful if you choose to pursue this subject in greater detail.

/s/

ARTHUR C. LUNDAHL
Director

National Photographic Interpretation Center

Attachment:
TS-159172 (Cy 1) w/photos

Distribution:
Cy 1 - DD/R (thru DD/I)
2 - Ch/TPDS/NPIC
3 - OD/NPIC
4 - OD/NPIC

NPIC/OD:ACL: [] (12 Nov 62)

50X1

